

Electronic Supplementary Information

The Effect of Photoanode Structures on the Performances of the Quantum-dot Sensitized Solar Cells: A Case Study of the Anatase TiO₂ Nanocrystals and Mesoporous Microspheres Hybrid Photoanodes

Dapeng Wu^b, Xiaojuan Shi^c, Hui Dong^a, Feng Zhu^a, Kai Jiang^{b*}, Dongsheng Xu^{a*}, Xicheng Ai^{c*} and Jianping Zhang^c

^a Beijing National Laboratory for Molecular Sciences, State Key Laboratory for Structural Chemistry of Unstable and Stable Species, College of Chemistry and Molecular Engineering, Peking University, Beijing 100871, P.R. China, Tel./Fax: 86-10-62760360, E-mail: dsxu@pku.edu.cn

^b School of Chemistry and Chemical Engineering, Henan Normal University, Henan Xinxiang 453007, P.R. China, Tel./Fax: 86-37-3326209, E-mail address: jiangkai6898@126.com

^c Department of Chemistry, Renmin University of China, Beijing 100872, P. R. China, Tel./Fax: 86-10-62511528, E-mail address: xcai@chem.ruc.edu.cn




Figure S1 SEM images with (a) low and (b) high magnifications of the amorphous intermediate product collected at after 30 min hydrothermal reaction.




Figure S2 (a) SEM image and (b) XRD pattern of the as-prepared nanocrystals.