

Supporting information for:

**Pulsatile drug release from electrospun poly(ethylene oxide) – sodium alginate blend
nanofibres**

Abdessamad Y. A. Kaassis,^a Neil Young,^b Naoko Sano,^c Deng-Guang Yu,^d Nicholas P. Chatterton,^{e*} and
Gareth R. Williams^{a*}

^a *UCL School of Pharmacy, University College London, 29-39 Brunswick Square, London, WC1N 1AX,
UK*

^b *Department of Materials, University of Oxford, Parks Road, Oxford, OX1 3PH, UK.*

^c *NEXUS, Stephenson Building, Newcastle University, Newcastle upon Tyne, NE1 7RU, UK*

^d *School of Materials Science & Engineering, University of Shanghai for Science and Technology,
Shanghai 200093, China.*

^e *School of Human Sciences, Faculty of Life Sciences and Computing, London Metropolitan University,
166-220 Holloway Road, London, N7 8DB.*

** Authors for correspondence. Email: g.williams@ucl.ac.uk (GRW), n.chatterton@londonmet.ac.uk
(NPC); Tel: 0207 753 5868 (GRW), 0207 133 4373 (NPC).*







Fig. S1. The XRD pattern of sodium alginate (SA).



(a)



(b)



(c)

Fig. S2. NMR spectra of (a) sodium ibuprofen and (b) the F2 fibers after dissolution in D₂O, together with (c) the chemical shifts predicted for SI (using the ChemDraw Ultra 12 software).