

Supporting Information

Highly efficient green phosphorescent OLEDs based on a novel iridium complex

Hong-Yan Li,^a Liang Zhou,^b Ming-Yu Teng,^a Qiu-Lei Xu,^a Chen Lin,^a You-Xuan Zheng,^{a,*} Jing-Lin Zuo,^a Hong-Jie Zhang,^b Xiao-Zeng You^a

^a: State Key Laboratory of Coordination Chemistry, Nanjing National Laboratory of Microstructures, Center for
10 Molecular Organic Chemistry, School of Chemistry and Chemical Engineering, Nanjing University, Nanjing
210093, P. R. China, e-mail: yxzheng@nju.edu.cn,

^b: State Key Laboratory of Rare Earth Resource Utilization, Changchun Institute of Applied Chemistry, Chinese
Academy of Sciences, Changchun, 130022, P. R. China

15	1. Fig. S1 TGA of the compounds 1	S-2
	2. Fig. S2 DSC of the compounds 1	S-3
	3. Fig. S3 Lifetime's measurement of the compounds 1	S-4
	4. Fig. S4 Cyclovoltammetry (CV) diagrams of the compounds 1	S-5

20

25

30

35

1. TGA of the compounds 1.

5





Fig. S1 TGA thermograms of **1**.

10

15

20

2. DSC of the compounds 1.



5


Fig. S2 DSC thermograms of 1.

10

15

20

3. Lifetime's measurement of Ir(tfmppy)₂(tfmtpip).



5




Fig. S3 Lifetimes of **1** in degassed toluene solution at room temperature and in deaerated toluene glass at 77 K.

4. Cyclovoltammetry (CV) diagrams of the compound 1.

5




Fig. S4 Cyclovoltammetry (CV) diagrams of **1** in degassed CH_2Cl_2 solutions.

10

15

20