



# Electronic Supplementary Information (ESI)


Wei Huang<sup>a</sup>, Fansheng Tang<sup>a</sup>, Bo Li<sup>b</sup>, Jianhua Su<sup>a</sup> and He Tian\*<sup>a</sup>




**Figure S1.** <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of compound 3a.




**Figure S2.** <sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) spectrum of compound 3a




**Figure S3.** MALDI-TOF spectrum of **3a**




**Figure S4.**  $^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) spectrum of compound **3b**.




**Figure S5.** <sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) spectrum of compound **3b**




**Figure S6.** MALDI-TOF spectrum of **3b**



**Figure S7.** <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of compound 3c.



**Figure S8.** <sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) spectrum of compound 3c



**Figure S9.** MALDI-TOF spectrum of **3c**