

SUPPLEMENTARY TABLES

Table S1. Plasmatic biochemical parameters after 24h of intoxication

Evaluated parameter	Control	LAS	PQ	PQ+LAS
Albumin (g/L)	42.65 ± 1.37	39.55 ± 13.13	43.23 ± 4.71	46.15 ± 3.74
Total proteins (g/L)	56.50 ± 4.42	64.98 ± 9.45	59.55 ± 6.96	66.43 ± 6.01
Total Bilirubin (mg/dL)	0.060 ± 0.000	0.040 ± 0.028	0.044 ± 0.017	0.027 ± 0.012
Direct Bilirubin (mg/dL)	0.068 ± 0.011	0.064 ± 0.017	0.072 ± 0.027	0.047 ± 0.012
Glucose (mg/dL)	144.20 ± 31.43	121.70 ± 42.71	247.80 ± 80.50 ^{*#}	257.20 ± 73.91 ^{*#}
Creatinine (mg/dL)	0.48 ± 0.11	0.52 ± 0.11	0.60 ± 0.00 [†]	0.40 ± 0.00
Urea (mg/dL)	34.92 ± 4.24	32.32 ± 10.34	31.20 ± 5.34	35.35 ± 7.52
Amylase (U/L)	367.70 ± 38.86	358.40 ± 45.27	425.90 ± 78.80 [†]	565.30 ± 243.20 ^{*#}
LDH (U/L)	468.90 ± 303.10	512.90 ± 277.90	1065.00 ± 903.40	1512.00 ± 443.40
Cholesterol (mg/dL)	44.40 ± 8.57	45.08 ± 3.89	63.12 ± 15.66 ^{*#}	46.84 ± 9.37
LDL (mg/dL)	27.28 ± 5.54	30.85 ± 3.53	48.99 ± 14.57 ^{*#}	27.39 ± 9.65
HDL (mg/dL)	9.05 ± 1.69	8.66 ± 1.98	13.78 ± 2.67 ^{*#}	10.48 ± 2.86
Uric acid (mg/dL)	1.28 ± 0.50	2.36 ± 0.97	2.64 ± 1.04	3.80 ± 1.69 [*]
Triglycerides (mg/dL)	23.88 ± 4.90	27.84 ± 6.83	20.88 ± 12.65	31.70 ± 17.87
ALAT (U/L)	22.24 ± 4.06	29.36 ± 9.38	30.48 ± 4.86	34.20 ± 14.01
ASAT (U/L)	77.08 ± 10.10	102.60 ± 29.52	112.40 ± 78.20	154.30 ± 57.72
GGT (U/L)	0.10 ± 0.00	n.d.	0.70 ± 0.00	0.30 ± 0.00
ALP (U/L)	12.00 ± 6.16	10.80 ± 1.92	7.60 ± 2.88	9.75 ± 2.06
Lactate (mg/dL)	22.79 ± 6.62	26.13 ± 6.63	33.98 ± 11.66	37.64 ± 4.43 [*]
α-1-Anti-trypsin (g/L)	0.032 ± 0.011	0.060 ± 0.020	0.044 ± 0.022	0.064 ± 0.026
Reactive C protein (mg/L)	0.072 ± 0.058	0.024 ± 0.022	0.068 ± 0.059	0.025 ± 0.030
CK (U/L)	381.70 ± 184.60	673.40 ± 336.00	1383.00 ± 1182.00	1340.00 ± 810.70
CK-MB (U/L)	361.10 ± 135.40	380.40 ± 158.00	1071.00 ± 894.00	1058.00 ± 604.60
Sodium (mmol/mL)	109.90 ± 4.43	100.40 ± 44.17	101.80 ± 8.53	100.80 ± 7.98

Values are given as mean ± S.D. (n = 5). n.d.: not detectable

* $p < 0.05$ vs. control

$p < 0.05$ vs. LAS

† $p < 0.05$ vs. PQ+LAS